

Factory Method Pattern

하위 클래스에서 인스턴스 작성

- 상위 클래스에서 인스턴스 작성법의 뼈대를 세우고, 구체적인 작성은 하위 클래스에서 실행.

[Architecture](#), [Modeling](#), [DesignPattern](#), [Creational](#)

인스턴스 생성을 위한 **Framework**(골격) 측

```
package framework;

public abstract class Product {
    public abstract void use();
}
```

```
package framework;

public abstract class Factory {
    public final Product create(String owner) {
        Product p = createProduct(owner);
        registerProduct(p);
        return p;
    }

    protected abstract Product createProduct(String owner);
    protected abstract void registerProduct(Product product);
}
```

구체적인 구현하고 있는 측

```
package product;

import framework.Product;

public class IDCard extends Product {

    private String owner;
    public IDCard(String owner) {
        this.owner = owner;
    }
    @Override
    public void use() {
```

```
        System.out.println(owner + "의 카드 사용");
    }
    public String getOwner() {
        return this.owner;
    }
}
```

```
package product;

import java.util.ArrayList;
import java.util.List;

import framework.Factory;
import framework.Product;

public class IDCardFactory extends Factory {

    private List<String> owners = new ArrayList<>();
    @Override
    protected Product createProduct(String owner) {
        return new IDCard(owner);
    }

    @Override
    protected void registerProduct(Product product) {
        if(!(product instanceof IDCard))
            return;
        owners.add(((IDCard) product).getOwner());
    }
}
```

From:
<http://ledyx.xyz/> - **Ledyx WIKI**

Permanent link:
http://ledyx.xyz/doku.php?id=design_pattern:factory_method_pattern&rev=1509105037

Last update: **2021/02/07 03:15**

